



VOLTAGE STABILIZERS

VOLTAGE STABILIZER - DBW SERIES - SINGLE PHASE

Part Number	Rated Capacity	Overall Dimensions (mm)	Net Weight (kg)	UNIT PRICE (excl. VAT)
DBW-020	20 kVA	750 x 570 x 1250	200	R 37,862.00
DBW-030	30 kVA	800 x 570 x 1375	230	R 45,417.00

VOLTAGE STABILIZER - SBW SERIES - THREE PHASE

Part Number	Rated Capacity	Overall Dimensions (mm)	Net Weight (kg)	UNIT PRICE (excl. VAT)
SBW-030	30 kVA	750(L) x 570(W) x 1250(H)	230	R 40,844.00
SBW-050	50 kVA	800(L) x 570(W) x 1375(H)	285	R 54,558.00
SBW-075	75 kVA	850(L) x 650(W) x 1450(H)	355	R 72,094.00
SBW-100	100 kVA	850(L) x 650(W) x 1450(H)	408	R 76,144.00
SBW-150	150 kVA	1150(L) x 900(W) x 1900(H)	630	R 105,540.00
SBW-180	180 kVA	1150(L) x 900(W) x 1900(H)	660	R 113,470.00
SBW-200	200 kVA	1150(L) x 900(W) x 1900(H)	700	R 129,580.00
SBW-225	225 kVA	1150(L) x 900(W) x 1900(H)	750	R 151,704.00
SBW-250	250 kVA	1150(L) x 900(W) x 1900(H)	780	R 155,000.00
SBW-300	300 kVA	1180(L) x 950(W) x 2050(H)	950	R 208,816.00
SBW-320	320 kVA	1180(L) x 950(W) x 2050(H)	950	R 210,000.00
SBW-350	350 kVA	1300(L) x 1000(W) x 2250(H)	1000	R 215,000.00
SBW-400	400 kVA	1300(L) x 1000(W) x 2250(H)	1100	R 224,414.00
SBW-450	450 kVA	1300(L) x 1000(W) x 2250(H)	1400	R 259,544.00
SBW-500	500 kVA	1300(L) x 1000(W) x 2250(H)	1450	R 284,904.00
SBW600	600 kVA	1300(L) x 1000(W) x 2250(H) (x 2)	800 x 2	R 351,860.00
SBW-800	800 kVA	1150(L) x 850(W) x 2200(H) (x 3)	950 x 3	R 537,144.00
SBW-1000	1000 kVA	1150(L) x 850(W) x 2200(H) (x 3)	1000 x 3	R 693,134.00
SBW-1200	1200 kVA	1150(L) x 850(W) x 2200(H) (x 4)	1000 x 4	R 752,292.00
SBW-1300	1300 kVA	1150(L) x 850(W) x 2200(H) (x 4)	1020 x 4	R 755,000.00
SBW-1500	1600 kVA	1150(L) x 850(W) x 2200(H) (x 4)	1100 x 4	R 1,405,284.00



SBW 100
VOLTAGE STABILIZER



SVC 3-15
VOLTAGE STABILIZER
(info on page 20)

TECHNICAL DATA: SINGLE PHASE + THREE PHASE

SINGLE PHASE	THREE PHASE
Input Voltage (V) 230 (1 ± 20%)	Input Voltage (V) 400 (1 ± 20%)
Output Voltage (V) 230 (1 ± 3%) (adjustable)	Output Voltage (V) 400 (1 ± 3%) (adjustable)
Frequency 50Hz ~ 60Hz	Frequency 50Hz ~ 60Hz
Precision of Voltage Regulation ± (1 ~ 5)% (adjustable)	Precision of Voltage Regulation ± (1 ~ 5)% (adjustable)
Time of Response (s) ≥ 0.5s	Time of Response (s) ≥ 0.5s
Efficiency ≥ 98%	Efficiency ≥ 98%